
INDEX

- Accurate dot product, 8, 101–102, 104–105
ACRITH, 102–103
ACRITH-XSC, 100, 102–103
Ada, 43, 103, 105
Algol, 100
Algol-60, 101
Anonymous FTP, xv, 69, 74, 105, 109, 137, 164
Approximate optimizer, 173
Augment precompiler, 101
Automatic differentiation, 29, 36, 48, 92–93, 205
forward mode, 36, 38, 48
reverse mode, 38, 48, 94
Automatic verification, 24
BIAS, 105–106
BIBINS, 105
Binary code list, 83
Bisection, 120, 146, 172–173
BLAS, 70, 105
BNR Prolog, 226, 228
Bound constraints, 168, 170, 173, 176, 178–183, 187–190, 192–193, 195, 198, 201, 203
Box complementation, 143–145, 152, 155
Box, 1, 6, 93–94
Box-splitting strategies, 173
Branch and bound, 143, 169, 173
Branch function, 85, 207
Brouwer degree, 65–66, 109
Brouwer fixed point theorem, 18, 58–59
C, 104
C++, 43, 101, 103–105, 107, 109, 174, 226
Borland, version 4, 104
C-LP-DENSE, 138
C-preconditioner, 122–123, 126
C-XSC, 8, 104
free version via FTP, 104
Cancellation subtraction, 5
Case statement, 47
Fortran-90, 47
CDC mainframes, 102
CDLINEQ, 84
CDLLHS, 44, 81, 84
CDLVAR, 44, 81, 84–85
Centered form, 16
Certainly feasible, 177
CHI, 207
Circular arithmetic, 10
CM-LP-preconditioner, 134
Code list, 42–44, 47, 49, 76, 81, 83, 85–87, 89–99, 157, 159, 196–197, 223–224, 227–230
ASCII, 83
binary, 83
derivative, 89, 91
first derivative, 92, 97
gradient, 92–93, 97, 99, 196–197, 199, 203, 226, 229
second derivative, 91
CODELIST VARIABLES, module, 93
Common subexpressions, 99
Complementation, box, 143–145, 152, 155
Complete pivoting, 185

- Complex interval arithmetic, 9
 - circular, 10
 - rectangular, 10
- Complex interval dependency, 10
- COMPONENT-SOLVE, 227
- Computational cost, 95
- Computational fixed point theory, 58
- Concavity test, 170
- Configuration file, 81
- Constraint logic programming, 107–108
- Constraint processing, 108
- Constraint propagation, 108, 127, 226, 228
- Constraint satisfaction, 107
- Constraints, xii, 97, 167–168, 175–178, 183, 200, 203
 - bound, 168, 170, 176, 178–183, 187–190, 192–193, 195, 198, 201, 203
 - equality, 168, 175, 177–178, 182, 184, 192, 196
 - inequality, 167, 175–178
- Continuation method, 187
- Controlled solution set, 19
- Convergence theory, interval
 - Newton methods, 206, 215
- Conversion error, 83
- Convex hull, 6
- Convexity, 171
- CP/M, 102
- Cray machines, 76
- Degeneracy, 68
- DENSE-GAUSS-SEIDEL-STEP, 230
- DENSE-JACOBI-MATRIX, subroutine, 94
- DENSE-NLE-BOX-LIST, 163–164
- DENSE-SLOPE-MATRIX, 94, 223
- Dependency, 4, 229
- Dependent variable, 91–92
- Derivative code list, 89–91, 93, 208
- Derivative tensor, 92
- Diameter, relative, 144
- Differentiation arithmetic, 37, 40–41
- Differentiation, 81
 - automatic, 29, 36, 38
 - numerical, 36
 - symbolic, 36, 42, 89
- Directed rounding simulated, 69
- Directed rounding, 3, 7, 105, 113–114, 118
 - simulated, 8, 70
- Distributed-memory, 174
- DOS, 102, 107
- Dot product, accurate, 8, 101–105
- E-preconditioner, 122–125
- Eigenvalues, 171
- Einzelschrittverfahren, 21
- Epsilon-inflation, 141, 143, 145, 148–149, 174, 201, 203, 205
- Equality constraints, 168, 176–178, 182, 184, 192, 196
 - feasibility of, 176
 - proving feasibility, 177
- Excel, 101, 107
- Existence verification, 18, 24, 58–61, 67, 124, 126, 141, 148–149, 169–170, 172, 174, 215
- Expanded system, 38, 107, 224–225, 228
- Expression swell, 38
- Extended interval arithmetic, 3, 9, 173
- Extended interval, 9
- F-2, subroutine, 94
- F-POINT, subroutine, 94
- Feasibility, proving, 170–171, 176–177, 191
- First derivative code list, 92, 97
- First order interval extension, 14

- Fixed point iteration, 24, 55
Fixed point theory, 49–50, 58–59
 classical, 50
 computational, 55, 58
 interval, 49
FORTRAN IV, 101–102
FORTRAN-66, 101
FORTRAN-77, 8, 11, 13, 43,
 69–71, 74, 99, 102, 108–110,
 173
Fortran-90, 7, xiii–xiv, 43–46, 49,
 69, 74, 76–79, 81, 84–85, 95,
 102–104, 107–108, 165,
 226–228
FORTRAN-SC, 8, 100, 102
Fortran-XSC, 104
Forward mode, automatic
 differentiation, 36, 38, 48
Forward substitution, 227
FORWARD-SUBSTITUTION, 229
Frechét arithmetic, 92
Fritz John equations, 98, 168, 170,
 177, 190, 192, 201, 204
FTP, xv, 69, 74, 104–105, 109,
 137, 164
F, subroutine, 93
Gap, 125
Gauss–Seidel method, interval,
 21–22, 57, 59, 111–112, 115,
 117, 119–122, 124, 139, 141,
 146, 148, 173, 177, 201, 223,
 225, 228, 186–187
GAUSS-SEIDEL-STEP, 230
Gaussian elimination, complete
 pivoting, 185
Gaussian elimination, interval, 21,
 50, 57, 111–112, 116–117,
 119–121, 139, 141, 177, 193
Generalized bisection, 68, 120, 139,
 143, 146, 152, 155, 173–174,
 228
coordinate selection strategies,
 155
Generic functions, 47
Gradient code list, 92–93, 97, 99,
 196–197, 199, 203, 226, 229
GRADIENT CODELIST, module,
 92
Gradient
 reduced, 99
GRADIENT-CODELIST, module,
 89
Hansen slope, 33, 35, 94, 223, 230
Hansen’s algorithm, 172
Hessian, 92, 97
 reduced, 99
Horner’s method, 4, 17
Hull
 interval, 20
 solution set, 20
Hypercube, 174
IBM 360, 101, 103
IBM 370, 102
IBM PC, 105, 109
Idealized interval arithmetic, 3
IEEE binary floating point
 standard, 7
Ill-conditioning, 149
InC++, 105, 107
Inclusion isotonic, 17
Inclusion monotonic, 17, 35
Inequality constraints, 167,
 175–178
 feasibility of, 176
 proving feasibility, 177
Infeasibility, proving, 170–171,
 176–178, 191
INFFOR, 110
INITIALIZE CODELIST
 module, 85
Inner estimates, 9, 20
INTCOM, 109
Interior, 6

- Intermediate variable, 89, 92
- Internal representation, 42
- Interpreter, 47
- Interval arithmetic, 3
 - complex, 9
 - directed rounding, 7
 - extended, 3, 9
 - idealized, 3
 - Kahan, 3, 8, 52
 - operational definitions, 3
 - ordinary interval division, 3
 - overestimation, 4, 8
 - complex, 10
 - real, 3
 - rounded, 7
 - software packages, 8
 - subdistributivity, 4
- INTERVAL ARITHMETIC, module, 76, 78, 103, 160
- Interval constraint propagation, 107
- Interval data type, 76
- Interval dependency, 4, 229
 - complex, 10
- Interval enclosures, 3
- Interval extension, 11, 205
 - centered form, 16
 - first order, 14
 - inclusion isotonic, 17
 - inclusion monotonic, 17
 - mean value, 15, 94
 - natural, 11–17, 26–27, 35–36, 55, 94, 140, 147, 223
 - non-smooth, 205
 - order, 14, 175
 - properties, 13
 - second order, 14, 145, 228
 - united, 6
- Interval Gauss algorithm, 21
- Interval Gauss–Seidel method, 21–22, 57, 59, 61, 111–112, 115, 117, 119–122, 124, 139, 141, 146, 148, 173, 177, 186–187, 201, 223, 225, 228
- Interval Gaussian elimination, 21, 50, 57, 61, 111–112, 116–117, 119–121, 139, 141, 177, 193
- Interval hull, 20
- Interval Jacobi matrix, 27, 119–120, 225, 230
- Interval linear systems of equations, 18
- Interval linear systems, 111
 - preconditioning, 21
- Interval Newton methods, 18, 25–26, 32–33, 49–51, 54, 58, 61, 68, 106, 112–113, 115, 118–119, 149, 155, 172–174, 182–185, 187–190, 192, 195, 205–206, 211, 215, 225, 228, 230
 - multivariate, 54
 - convergence theory, 206, 215
 - multivariate, 54
 - quadratic convergence, 58
 - univariate, 50–51
- Interval, 3
 - dependency, 4
 - complex, 9
 - thin, 6
- INTLIB ARITHMETIC, module, 105
- INTLIB, 8, 43, 69–72, 74, 76–77, 79, 105, 164
- INTLIB-90, xiv, 44, 76, 87, 89–91, 93, 99–101, 103–104, 108, 148, 164, 207, 224, 227, 230
- INTOPT-90, xiv, 76, 92, 138, 143–144, 151, 157, 160, 163–165, 168, 195–197, 202–204, 223, 227, 229–230
- Inverse midpoint preconditioner, 112–113, 116–120, 139–140
 - optimality properties, 117

- IVL, 78
Jacobi matrix, 26, 65–66, 92, 94, 97, 184, 192
ill-conditioned, 148
interval, 27, 117, 119–120, 225, 230
singular, 149
Kahan arithmetic, 3, 8–9, 52, 113, 122, 125, 134, 173
Kantorovich theorem, 58
Karlsruhe University, 103
Kaucher arithmetic, 9
Krawczyk method, 21, 24, 50, 55–57, 59, 111, 114, 117, 139–140
Krawczyk operator, 55
Lagrange multiplier, 192–193, 195
LANCZOS, 36, 86, 202
LANCZOS-OPT, 201–204
Left-optimal preconditioner, 123–124, 136
Linear algebra, numerical, 105
Linear programming, 183
Linear systems of equations, interval, 18, 111
Linear systems of equations, interval
solution set, 19
Linked list, 163
Lipschitz matrix, 26, 33, 59, 61–62, 206, 208, 215
Lipschitz set, 216
Load balancing, 174
Local optimization, 173
Logic programming languages, 107–108
Logic programming, 108, 226
Logical-valued operators, 78
LP-preconditioners, 134, 140, 173, 229
CM, 134
M77 compiler, 102
Machine interval arithmetic, 7
MACSYMA, 36, 93
Magnitude, 5
Magnitude-optimal LP preconditioner, 134
Magnitude-optimal preconditioner, 123–124, 126–127, 132–133, 135, 139, 141, 186
MAKE-GRADIENT, 197
Maple, 36, 93, 101, 106
Markov arithmetic, 9
Mathematica, 36, 93, 101, 106
Mathematics Research Center, 102
Maximum smear, 151, 155, 173
Mean value extension, 15, 55, 94, 215
Midpoint test, 170–173, 201
Mignitude, 5
Mignitude-optimal LP-preconditioner, 135
Mignitude-optimal preconditioner, 125
Mignitude-optimal splitting preconditioner, 125–127, 134, 136–137, 139, 141, 165, 191
Minimum smear, 151
Miranda’s theorem, 58–59
Modula-2, 105
Modula-SC, 105
Monotonicity test, 170–171, 173, 201
Moore–Skelboe algorithm, 108, 171–172, 228
Moore–Skelboe, 172
Multivariate interval Newton methods, 54
NAG, 95, 227
Natural interval extension, 11–17, 26–27, 35–36, 55, 94, 140, 147, 223
NEAREST, Fortran-90, 7
NETLIB, 74

- Newton methods, interval, 18, 25–26, 32–33, 49–51, 54, 58, 68, 106, 118–119, 182–185, 187–190, 192, 195, 225, 228, 230
- Non-convexity, 171
- Non-smooth functions, interval extensions of, 205
- NP-completeness, 178
- Numerical differentiation, 36
- Operator overloading, 43, 81, 101–102
- Optimal LP-preconditioners, 122
- Optimal preconditioners, 112, 127, 173, 177, 187, 225
 - width-, 121
- OPTTBND.CFG, 196, 200, 202
- Order, interval extension, 14, 175
- Ordinary interval division, 3
- Outer estimates, 9, 20
- Outward rounding, 7
- Overestimation, 86, 155, 186
- Overhead, 95
- OVERLOAD, 81
- OVERLOAD.CFG, 83, 157, 159, 196
- Parallelization, 174
- Parameter-fitting, 174
- Parametrized systems, 152
- Partial separability, 86
- Pascal-SC, 8, 102–104
- Pascal-XSC, 8, 104, 172
- Peeling, ix, 179, 181, 195
- Penalty function, 177
- PL/I, 102, 110
- POINT-JACOBI-MATRIX, subroutine, 94
- Portability, 103
- Positive definite, 171
- PRECISION BASIC, 109
- Preconditioner
 - width-optimal, 141
 - Preconditioning, 21, 54, 57, 111
 - inverse midpoint, 112–113, 116–120, 139–140
 - left-optimal, 123–124, 136
 - magnitude-optimal, 123–124, 126–127, 132–133, 135, 139, 141, 186
 - magnitude-optimal splitting, 125–127, 134, 136, 139, 141, 165, 191
 - magnitude-optimal, 125
 - optimal C, 123
 - optimal LP, 122, 126, 229
 - theory, 136
 - optimal, 112, 132, 134–136, 177
 - C, 122–123
 - E, 122–125
 - LP, 132, 229
 - S, 122
 - width-, 121
 - right-optimal, 123–124, 136
 - splitting, 165
 - width-optimal, 123–124, 126–127, 131, 135, 138–139, 141, 148, 165, 186, 195, 225
 - PROFIL, 105
 - Prolog, 101, 108, 226, 228
 - BNR, 226, 228
 - Proving feasibility, 176–177, 191
 - equality constraints, 176–177
 - inequality constraints, 176–177
 - Quadratic convergence, 51, 58, 64, 170, 172
 - Quadratic programming, 178
 - Range arithmetic, 108
 - RATFOR, 102
 - Rational approximations, 13
 - Real interval arithmetic, 3
 - Reduce, 36, 93
 - Reduced gradient, 99, 170, 178, 180
 - Reduced Hessian matrix, 99

- Regular, 18, 61
Regularity, 18
 strong, 117
Relative diameter, 144
Relative width, 144
Reverse mode, automatic
 differentiation, 38, 48, 92, 94
Right-optimal preconditioner,
 123–124, 136
RNDOUT, 71
ROOTS-DELETE, 157–158, 160,
 163–165
ROOTSDL.CFG, 158–159, 164
Rounded interval arithmetic, 7
Roundout error, 7, 17, 41
RUN-GLOBAL-OPTIMIZATION,
 194–197, 199, 201–202, 204
RUN-ROOTS-DELETE, 157–158,
 160, 164, 194–195
Russian Institute of Artificial
 Intelligence, 107
S-preconditioner, 122
SC languages, 8, 43, 100, 102
Second derivative code list, 91–92
Second order interval extension,
 26, 145, 228
SEPAFOR, 101
Separable, 86
SIMINI, 74
Simulated directed rounding, 8,
 69–70
Single-step method, 21
Singularity, 65, 68
Slack variables, 176
Slope arithmetic, 40
Slope matrix, 26–27, 30, 33, 35,
 40–41, 50, 57, 59, 61–63, 65,
 94, 215
Slopes, 27
 multivariate, 29
 univariate, 27
Smear, 151, 173
Smear, maximum, 155, 173
Software packages, 8
Solution hull, 20
Solution set
 interval linear systems, 19
Splitting preconditioners, 134, 165
Splitting strategies, 173
Spreadsheet, 107
Standard function, 11–15, 17–18,
 37, 40–41, 43, 49, 69, 72, 101,
 103
Strongly regular, 117, 139
Subdefinite calculations, 107, 226
Subdistributivity, 4
SUBSIT, 229–230
Substitution-iteration, 99, 107,
 201, 224–226, 228–230
Sun, 105
Symbolic differentiation, 36, 42,
 89, 92–93
Symbolic manipulation packages,
 36, 106–107
 MACSYMA, 93
 Maple, 93, 101, 106
 Mathematica, 93, 101, 106
 Reduce, 93
Symmetric interval, 113
Syntax rules, 84
Taylor arithmetic, 105
Tessellation, 143, 170, 173, 176,
 201, 226
Thin interval, 6
Tolerable solution set, 19
Topological degree, 65–66, 68, 109
Tree, 180
Triplex-Algol, 101
Trisection, 174
ULP, 8, 104
Unconstrained optimization, 172
UniCalc, 101
Unicalc, 107
UNICALC, 226

Uniqueness verification, 18, 24, 58, 61–63, 65, 124, 126, 141, 148–149, 169–170, 172, 174, 191, 215
United extension, 6
United solution set, 19
 inner estimates, 20
 outer estimates, 20
Univac, 101
Unix, 165
Variable precision, 101, 104, 108–109
Verification
 existence, 18, 24, 58–61, 67, 124, 126, 148–149, 215
 uniqueness, 148
Width, 6
 relative, 144
Width-optimal LP-preconditioner, 132, 136
Width-optimal preconditioner, 121, 123–124, 126–127, 131, 135, 138–139, 141, 148, 165, 186, 195, 225
Winding number, 66
World Wide Web, 69, 72
XSC languages, 103
 C-XSC, 104
XSC Languages
 free version via FTP, 104
XSC languages
 Fortran-XSC, 104
 Pascal-XSC, 104